





Chart 44076 (Plan)

(B)

NM 28/03






Chart 97229 NM 28/03



Chart 97230 NM 28/03



SECTION I

NM 28/03

Chart 11478

NM 28/03

PORT CANAVERAL CHANNEL DEPTHS								
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF MAY 2003 AND SURVEYS OF APR 2003								
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)						PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	LEFT INSIDE QUARTER	RIGHT INSIDE QUARTER	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
OUTER REACH	41.2	41.1	41.6	40.9	4-03	400	5.5	44
MIDDLE REACH	43.7	44.2	43.8	37.6	4-03	400	0.9	44
INNER REACH	37.8	41.6	40.9	37.8	4-03	400	0.8	40
WEST ACCESS CHANNEL (EAST PORTION)	37.8	40.6	41.0	39.1	4-03	400	0.3	39
WEST ACCESS CHANNEL (WEST PORTION)	30.5	34.4	35.1	34.6	4-03	400	0.3	31
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION								

Chart 11481

NM 28/03

PORT CANAVERAL CHANNEL DEPTHS								
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF MAY 2003 AND SURVEYS OF APR 2003								
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)						PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	LEFT INSIDE QUARTER	RIGHT INSIDE QUARTER	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
OUTER REACH	41.2	41.1	41.6	40.9	4-03	400	5.5	44
MIDDLE REACH	43.7	44.2	43.8	37.6	4-03	400	0.9	44
INNER REACH	37.8	41.6	40.9	37.8	4-03	400	0.8	40
WEST ACCESS CHANNEL (EAST PORTION)	37.8	40.6	41.0	39.1	4-03	400	0.3	39
WEST ACCESS CHANNEL (WEST PORTION)	30.5	34.4	35.1	34.6	4-03	400	0.3	31
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION								

Chart 11506

NM 28/03

BRUNSWICK HARBOR CHANNEL DEPTHS							
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF MAY 2003							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)					PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
BAR CHANNEL							
(ST SIMON RANGE)	33.0	34.0	30.0	04-03	500	7.7	32
PLANTATION CREEK RANGE	38.5	40.0	40.0	04-03	400	1.8	32
JEKYLL ISLAND RANGE	28.0	33.0	31.0	04-03	400	1.9	30
CEDAR HAMMOCK RANGE	30.0	31.0	29.5	04-03	400	1.4	30
BRUNSWICK PT CUT RANGE	27.0	29.5	29.0	04-03	400	2.4	30
EAST RIVER							
LOWER REACH	24.5	28.0	26.0	04-03	400	1.1	30
UPPER REACH	27.0	27.0	25.5	04-03	350	1.0	27
EAST RIVER TURNING BASIN	24.5	24.5	24.5	04-03	750	0.2	30
TURTLE RIVER LOWER RANGE	35.0	31.5	29.0	04-03	300	1.7	30
BLYTHE ISLAND RANGE	30.0	26.5	26.0	04-03	300	1.5	30
TURTLE RIVER UPPER RANGE	27.0	28.0	25.0	04-03	300	1.7	30
SOUTH BRUNSWICK RIVER	29.5	30.0	29.5	04-03	400	1.3	30
<p>A. OBSTRUCTION REPORTED WITH A DEPTH OF 29 FEET, LOCATED AT 31°04'06.6"N; 081°16'35.7"W.</p> <p>B. THE EAST RIVER, LOWER REACH WIDENER LEAST DEPTHS WERE 28.0 FEET, LOCATED 50 FEET INSIDE THE CHANNEL LIMIT, AND 30.5 FEET, LOCATED 150 FEET INSIDE THE CHANNEL LIMIT FROM THE LEFT SIDE.</p> <p>NOTE - FOR THE LEFT OUTSIDE AND RIGHT OUTSIDE QUARTERS, DEPTHS GIVEN REPRESENT CONDITIONS 50 FEET INSIDE THE CHANNEL LIMITS. (EXCEPT FOR THE EAST RIVER TURNING BASIN)</p> <p>NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION</p>							

Chart 76162

NM 28/03

CAUTIONS

1. The shoal area southeast of Tuaheni Point has not been swept and less depths than charted may exist.
2. Vessels with masts or superstructure in excess of 20 meters above sea level should keep more than 400 meters from the shore.